

AFCONA - 7565



Chemical Composition

Polymer with interphase affinity property.

Product general description

AFCONA-7565 is a polymer that consist of hydroxyl and acidic functionality that allow the polymer to gives interphase affinity property. Designed as dispersing agent as well as mould releasing agent with no side effects as the traditional grades.

Product Properties:

AFCONA-7565 is recommended to use in UPE compounding application, especially SMC industrial.

AFCONA - 7565 can improves:

- the mobility of SMC during mould pressing process
- colour evenness
- well dispersion of the filler in the system
- mould releasing agent
- provide better surface and adhesion for further coating without sanding

Product Specification

Non-volatile matter	≥ 96%(150 °C, 0.5h)
Density at 20 °C	0.91 - 0.95 g/cm ³
Acid value	185 – 195 mg KOH/g
Flashpoint	>100°C
Appearance	Clear, brownish liquid

Addition and dosage

3-5% on total formulation.

Incorporation

AFCONA-7565 should be added in the resin part and mix homogenously

Storage

AFCONA-7565 should be stored in a cool dry place. When kept in an original unopened container, it will keep up to 5 years from the date of manufacture. The expiry date is indicated on the container.

Packaging

25kg and 180 kg non-returnable containers

AFCONA ADDITIVES
Web Site : www.afcona.com

This information and all further technical advice are based on our present knowledge and experience. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of a customer. However, it implies no liability or other legal responsibility on our part, including with regard to existing third party intellectual property rights, especially patent rights. Reference to trade names used by other companies is neither a recommendation, nor does it imply that similar products could not be used. We reserve the right to make any changes according to science and technological progress or further developments.

This version replaces all previous ones.