

AFCONA-3700



Chemical Composition

Fluorocarbon-modified polyacrylate polymer.

Product general description

Leveling and flow control agent for solvent-based coatings with excellent anti-crater properties.

Product Properties

AFCONA-3700 is a highly fluorocarbon modified polyacrylic polymer. It has very low surface tension, so that can be alternative to silicone based types without the their typical side effects.

AFCONA-3700 drastically reduces the surface tension of organic coating systems. This property, combined with its good compatibility with most solvent-based systems and minimal foam stabilizing effect, makes it very effective as an anti-crater and flow control agent for all solvent-based coatings.

The low surface tension of AFCONA-3700 imparts excellent substrate wetting to the coating. It is normally recommended to combine with a silicone-based leveling agent to achieve optimal performance in leveling, anti-crater and flow control.

AFCONA-3700 is widely used in refinish topcoats, as it effectively prevents crater formation caused by various environmental conditions at application sites. In addition, it strongly improves vertical leveling in such applications.

AFCONA-3700 is recommended for:

- 1) Stoving enamels based on alkyd, acrylic and polyester resins.
- 2) Polyurethane coatings.
- 3) Two-component epoxy compounds.
- 4) Air-drying alkyd systems.
- 5) UV coatings.

Product Specification

Non-volatile matter	≥96% (120°C,0.5h)
Density	1.11 - 1.13 g/cm ³ (20°C)
Refractive index	1.450 - 1.460 (25°C)
Gardner color	Max.3
Appearance	Transparent to slightly yellowish liquid (25°C)

Addition and dosage

0.05-1.00% on total formulation. Under normal conditions, the dosage is 0.05- 0.25% based on total formulation.

Incorporation

AFCONA-3700 should be incorporated at the end of the batch preparation.

Storage

AFCONA-3700 shall be stored in cool and dry place away from direct sunlight. Shelf-life is 5 years from the date of manufacturer, if kept in original and unopened container. The expiring date is indicated on the package.

Packaging

30kg and 220kg non-returnable containers

For product safety information: please refer to the product SDS.

AFCONA ADDITIVES

Web Site : www.afcona.com

This information and all further technical advice are based on our present knowledge and experience. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of a customer. However, it implies no liability or other legal responsibility on our part, including with regard to existing third party intellectual property rights, especially patent rights. Reference to trade names used by other companies is neither a recommendation, nor does it imply that similar products could not be used. We reserve the right to make any changes according to science and technological progress or further developments.

This version replaces all previous ones.